

















ARCHITECTURAL

SEC NO. :- 8030 W.T:- 2.00 kg/12'	SEC NO. :- 8035 W.T:- 2.00 kg/12'
SEC NO. :- 8041 W.T:- 2.715 kg/12'	SEC NO. :- 8046 W.T:- 2.700 kg/12'
SEC NO. :- 8050 W.T:- 6.850 kg/12'	SEC NO. :- 8051 W.T:- 8.350 kg/12'
SEC NO. :- 8052 W.T:- 3.400 kg/12'	SEC NO. :- 8053 W.T:- 3.500 kg/12'








ARCHITECTURAL

SEC NO. :- 20719 W.T:- 1.820 kg/12' 	SEC NO. :- 20721 W.T:- 2.200 kg/12' 
SEC NO. :- 20720 W.T:- 2.200 kg/12' 	SEC NO. :- ST.AL1027 W.T:- 2.931 kg/12' 
SEC NO. :- 20024 W.T:- 4.460 kg/12' 	SEC NO. :- ST.AL1029 W.T:- 2.960 kg/12' 
SEC NO. :- 2921 W.T:- 2.600 kg/12' 	SEC NO. :-ST.13712 W.T:- 3.560 kg/12' 

ARCHITECTURAL

SEC NO. :- ST-1037 W.T:- 3.618 kg/12' 	SEC NO. :- ST-1058 W.T:- 1.800 kg/12' 
SEC NO. :- AL-1048 W.T:- 5.660 kg/12' 	SEC NO. :- AL-1050 W.T:- 5.437 kg/12' 
SEC NO. :- AL-1051 W.T:- 5.034 kg/12' 	SEC NO. :- AL-1055 W.T:- 6.567 kg/12' 
SEC NO. :-UCM-ADP2520 W.T:- 1.380 kg/12' 	SEC NO. :-UCM-ADP3527 W.T:- 1.640 kg/12' 









ARCHITECTURAL

SEC NO. :-UCW-ACPM5432 W.T:- 1.700 kg/12' 	SEC NO. :-UCW-ACPV6520 W.T:- 1.390 kg/12' 
SEC NO. :-UCW-GS346 W.T:- 0.650 kg/12' 	SEC NO. :-UCW-SP8135 W.T:- 5.400 kg/12' 
SEC NO. :-UCW-SP10835 W.T:- 5.400 kg/12' 	SEC NO. :-UCW-SP10835 W.T:- 5.400 kg/12' 
SEC NO. :-J-20711 W.T:- 4.026 kg/12' 	SEC NO. :-AL-1057 W.T:- 5.934 kg/12' 

ARCHITECTURAL

SEC NO. :-AA-005 W.T:- 1.350 kg/12'	SEC NO. :-J-20716 W.T:- 1.130 kg/12'
SEC NO. :-J-1001 W.T:- 18.126 kg/12'	SEC NO. :-J-1002 W.T:- 3.259 kg/12'
SEC NO. :-2783 W.T:- 1.150 kg/12'	SEC NO. :-2782 W.T:- 1.950 kg/12'
SEC NO. :-AA-001 W.T:- 0.900 kg/12'	SEC NO. :-AA-002 W.T:- 1.490 kg/12'









ARCHITECTURAL

SEC NO. :-AA-003 W.T:- 4.380 kg/12' 	SEC NO. :-AA-004 W.T:- 0.216 kg/12' 
SEC NO. :-EF-127 W.T:- 1.575 kg/12' 	SEC NO. :-AA-006 W.T:- 1.850 kg/12' 
SEC NO. :-AA-1004 W.T:- 0.175 kg/12' 	SEC NO. :-AA-1003 W.T:- 2.935 kg/12' 
SEC NO. :-AA-2002 W.T:- 1.054 kg/12' 	SEC NO. :-AA-009 W.T:- 2.638 kg/12' 

ARCHITECTURAL

SEC NO. :-14470 W.T:- 1.916 kg/12'	SEC NO. :-8093 W.T:- 0.840 kg/12'
SEC NO. :-8094 W.T:- 2.150 kg/12'	SEC NO. :-8095 W.T:- 2.700 kg/12'
SEC NO. :-AA-2009 W.T:- 1.450 kg/12'	SEC NO. :-AA-010 W.T:- 5.500 kg/12'
SEC NO. :-AA-2004 W.T:- 2.900 kg/12'	SEC NO. :-AA-2005 W.T:- 3.830 kg/12'






ARCHITECTURAL

SEC NO. :-AA-2006 W.T:- 5.130 kg/12' 	SEC NO. :-AA-2014 W.T:- 2.960 kg/12' 
SEC NO. :-AA-2015 W.T:- 4.820 kg/12' 	SEC NO. :-AA-2001 W.T:- 4.370 kg/12' 
SEC NO. :-AA-2003 W.T:- 5.500 kg/12' 	SEC NO. :-AA-2020 W.T:- 4.320 kg/12' 
SEC NO. :-AA-2010 W.T:- 5.500 kg/12' 	SEC NO. :-AA-2011 W.T:- 5.500 kg/12' 

ARCHITECTURAL

SEC NO. :-AA-2012 W.T:- 2.900 kg/12'	SEC NO. :-AA-2013 W.T:- 8.870kg/12'
SEC NO. :-AA-2018 W.T:- 7.670 kg/12'	SEC NO. :-AA-2019 W.T:- 6.170 kg/12'
SEC NO. :-AA-2021 W.T:- 2.460 kg/12'	SEC NO. :-AA-2022 W.T:- 2.050 kg/12'
SEC NO. :-AA-2023 W.T:- 3.520 kg/12'	SEC NO. :-AA-2024 W.T:- 3.200 kg/12'

ARCHITECTURAL

SEC NO. :-AA-2025 W.T:- 2.430 kg/12' 	SEC NO. :-AA-2026 W.T:- 1.960 kg/12' 
SEC NO. :-AA-2027 W.T:- 6.850 kg/12' 	SEC NO. :-AA-2016 W.T:- 3.680 kg/12' 
SEC NO. :-AA-2017 W.T:- 10.614 kg/12' 	

CASEMENT WINDOW

SEC NO. :-JP-01 W.T:- 0.949 KG/MTR	SEC NO. :-JP-02 W.T:- 0.925 KG/MTR
SEC NO. :-JP-03 W.T:- 0.975 KG/MTR	SEC NO. :-JP-04 W.T:- 1.140 KG/MTR
SEC NO. :-JP-05 W.T:- 1.000 KG/MTR	SEC NO. :-JP-06 W.T:- 0.900 KG/MTR
SEC NO. :-JP-07 W.T:- 0.819 KG/MTR	SEC NO. :-JP-08 W.T:- 0.482 KG/MTR

CASEMENT WINDOW

SEC NO. :-JP-09 W.T:- 0.817 KG/MTR	SEC NO. :-JP-10 W.T:- 0.283 KG/MTR
SEC NO. :-JP-11 W.T:- 0.955 KG/MTR	SEC NO. :-JP-12 W.T:- 0.895 KG/MTR
SEC NO. :-JP-13 W.T:- 0.397 KG/MTR	SEC NO. :-JP-14 W.T:- 0.610 KG/MTR
SEC NO. :-JP-15 W.T:- 0.758 KG/MTR	SEC NO. :-JP-16 W.T:- 0.830 KG/MTR









CASEMENT WINDOW

SEC NO. :-JP-17 W.T:- 0.685 KG/MTR	SEC NO. :-JP-18 W.T:- 1.147 KG/MTR
SEC NO. :-JP-19 W.T:- 0.840 KG/MTR	SEC NO. :-JP-20 W.T:- 1.185 KG/MTR
SEC NO. :-JP-21 W.T:- 1.410 KG/MTR	SEC NO. :-JP-22 W.T:- 1.435 KG/MTR
SEC NO. :-JP-23 W.T:- 1.256 KG/MTR	SEC NO. :-JP-24 W.T:- 2.210 KG/MTR









CASEMENT WINDOW

SEC NO. :-JP-25 W.T:- 1.310 KG/MTR	SEC NO. :-JP-26 W.T:- 1.010 KG/MTR
SEC NO. :-JP-27 W.T:- 0.360 KG/MTR	SEC NO. :-JP-28 W.T:- 1.183 KG/MTR
SEC NO. :-JP-29 W.T:- 1.540 KG/MTR	SEC NO. :-JP-30 W.T:- 0.960 KG/MTR
SEC NO. :-JP-37 W.T:- 0.758 KG/MTR	SEC NO. :-JP-38 W.T:- 0.690 KG/MTR









CASEMENT WINDOW

SEC NO. :-JP-39 W.T:- 0.590 KG/MTR 	SEC NO. :-JP-35 W.T:- 1.188 KG/MTR 
SEC NO. :-8054 W.T:- 0.770 KG/MTR 	SEC NO. :-STV-1037 W.T:- 0.990 KG/MTR 
SEC NO. :-JP-40 W.T:- 1.129 KG/MTR 	SEC NO. :-JP-41 W.T:- 0.814 KG/MTR 
SEC NO. :-JP-42 W.T:- 0.980 KG/MTR 	SEC NO. :-JP-43 W.T:- 1.420 KG/MTR 









CASEMENT WINDOW

SEC NO. :-JP-44 W.T:- 1.393 KG/MTR 	SEC NO. :-JP-45 W.T:- 0.980 KG/MTR 
SEC NO. :-EF-103 W.T:- 1.440 KG/MTR 	SEC NO. :-JP-48 W.T:- 0.721 KG/MTR 
SEC NO. :-EF-124 W.T:- 3.280 KG/MTR 	SEC NO. :-EF-125 W.T:- 2.920 KG/MTR 
SEC NO. :-JP-49 W.T:- 0.825 KG/MTR 	SEC NO. :-JP-50 W.T:- 0.694 KG/MTR 

CASEMENT WINDOW

SEC NO. :-JP-51 W.T:- 1.940 KG/MTR 	SEC NO. :-JP-52 W.T:- 1.470 KG/MTR 
SEC NO. :-JP-53 W.T:- 1.490 KG/MTR 	SEC NO. :-JP-54 W.T:- 2.128 KG/MTR 
SEC NO. :-JP-36 W.T:- 1.137 KG/MTR 	SEC NO. :-JP-55 W.T:- 1.167 KG/MTR 
SEC NO. :-JP-56 W.T:- 0.968 KG/MTR 	SEC NO. :-JP-57 W.T:- 2.234 KG/MTR 









CASEMENT WINDOW

SEC NO. :-JP-58 W.T:- 1.043 KG/MTR 	SEC NO. :-JP-59 W.T:- 1.383 KG/MTR 
SEC NO. :-JP-60 W.T:- 0.548 KG/MTR 	SEC NO. :-JP-61 W.T:- 1.054 KG/MTR 
SEC NO. :-JP-63 W.T:- 1.054 KG/MTR 	SEC NO. :-JP-62 W.T:- 1.055 KG/MTR 
SEC NO. :-JP-64 W.T:- 1.054 KG/MTR 	SEC NO. :-JP-65 W.T:- 0.718 KG/MTR 




CASEMENT WINDOW

SEC NO. :-JP-66 W.T:- 1.488 KG/MTR	SEC NO. :-EI-02 W.T:- 0.395 KG/MTR
SEC NO. :-JP-68 W.T:- 1.767 KG/MTR	SEC NO. :-EI-03 W.T:- 1.360 KG/MTR
SEC NO. :-EF-104 W.T:- 0.250 KG/MTR	SEC NO. :-EF-103 W.T:- 0.400 KG/MTR
SEC NO. :-EF-70 W.T:- 0.650 KG/MTR	SEC NO. :-EF-112 W.T:- 0.650 KG/MTR









CASEMENT WINDOW

SEC NO. :-EF-113 W.T:- 0.730 KG/MTR 	SEC NO. :-EF-107 W.T:- 10.670 KG/MTR 
SEC NO. :-EF-115 W.T:- 0.620 KG/MTR 	SEC NO. :-EF-116 W.T:- 0.680 KG/MTR 
SEC NO. :-EF-117 W.T:- 0.685 KG/MTR 	SEC NO. :-EF-118 W.T:- 0.480 KG/MTR 
SEC NO. :-EF-119 W.T:- 0.650 KG/MTR 	SEC NO. :-EF-120 W.T:- 0.800 KG/MTR 


CASEMENT WINDOW

SEC NO. :-EF-121 W.T:- 0.650 KG/MTR  25.0 43.0	SEC NO. :-EF-122 W.T:- 0.930 KG/MTR  33.11 56.70
SEC NO. :-EF-123 W.T:- 0.550 KG/MTR  43.50 45.0	


CURTAIN WALL SECTION

SEC NO. :-AA-001 W.T:- 0.900 KG/12' 	SEC NO. :-AA-002 W.T:- 1.490 KG/12' 
SEC NO. :-14470 W.T:- 1.916 KG/12' 	SEC NO. :-14105 W.T:- 9.614 KG/12' 
SEC NO. :-14106 W.T:- 6.076 KG/12' 	SEC NO. :-AA-005 W.T:- 1.350 KG/12' 
SEC NO. :-AA-006 W.T:- 1.850 KG/12' 	SEC NO. :-AA-007 W.T:- 4.750 KG/12' 


CURTAIN WALL SECTION




CURTAIN WALL SECTION




CURTAIN WALL SECTION




CURTAIN WALL SECTION








CURTAIN WALL SECTION




CURTAIN WALL SECTION




CURTAIN WALL SECTION

SEC NO. :-10023 W.T:- 3.780 KG/12' 	SEC NO. :-10034 W.T:- 8.770 KG/12' 
SEC NO. :-80001 W.T:-13.530 KG/12' 	
SEC NO. :-80002 W.T:-22.940 KG/12' 	
SEC NO. :-80004 W.T:-10.170 KG/12' 	

CURTAIN WALL SECTION



CURTAIN WALL SECTION



CURTAIN WALL SECTION

